



ABU DHABI



AJMAN



DUBAI



FUJAIRAH



RAS AL-KHAIMAH



SHARJAH



UMM AL-QUWAIN

BENEFITS OF EFFECTIVE IMPLEMENTATION OF THE UAE'S LIGHTING REGULATION



UNITED ARAB EMIRATES
MINISTRY OF ENVIRONMENT & WATER



هيئة البيئة - أبوظبي
Environment Agency - ABU DHABI

هيئة الإمارات للمواصفات والمقاييس
Emirates Authority For Standardization & Metrology



Global Footprint Network®
Advancing the Science of Sustainability

EWS-WWF Head Office
P.O. Box 45553 Abu Dhabi
United Arab Emirates
T: +971 2 634 7117
F: +971 2 634 1220

EWS-WWF Dubai Office
P.O. Box 454891 Dubai
United Arab Emirates
T: +971 4 354 9776
F: +971 4 354 9774

This summary has been published under the esteemed leadership of the Ecological Footprint Initiative Partners. The text has been prepared by EWS-WWF and RTI.

About Emirates Wildlife Society in association with WWF (EWS-WWF)

Emirates Wildlife Society is a national (UAE) environmental non-government, non-profit organisation that works in association with WWF, one of the world's largest and most respected independent conservation organisations. EWS-WWF has been active in the UAE since 2001 and has initiated and implemented several conservation and education projects in the region. The mission of EWS-WWF is to work with people and institutions within the UAE and the region, to conserve biodiversity, tackle climate change and reduce the ecological footprint through education, awareness, policy, and science-based conservation initiatives.

For more information please visit www.ewswwf.ae

About RTI International:

RTI International is dedicated to improving the human condition through innovative research and effective technical assistance. With a worldwide staff of more than 3,700 individuals, RTI offers a full spectrum of multidisciplinary services in energy, health, education, economic and social development, environmental science and engineering, advanced technology, and survey research and statistics. Three leading universities in North Carolina, USA—Duke University, the University of North Carolina at Chapel Hill, and North Carolina State University—founded RTI in 1958 as the first scientific organization in, and centerpiece of, the Research Triangle Park. Today, RTI provides research and technical assistance to clients in government, industry, academia, and public service in more than 140 countries around the world.

RTI International Address:
RTI International
P.O. Box 12194
Research Triangle Park, NC
27709-2194
www.rti.org

All publishing rights
reserved for EWS-WWF

December 2014 ©

About the UAE Ecological Footprint Initiative:

The Ecological Footprint Initiative (EFI) was launched in 2007 through a partnership between: the Ministry of Environment and Water, Environment Agency – Abu Dhabi, EWS-WWF and the Global Footprint Network, transforming the UAE from a country with one of the highest per capita Ecological Footprint per capita the world, to one with some of the most advanced Ecological Footprint science. From 2007-2011, the Ecological Footprint Initiative succeeded in verifying the UAE footprint, identifying the breakdown of the footprint by sector and developed a scientific scenario-modelling tool for decision makers that assesses the impact of different policies to reduce the country's footprint by 2030. In 2012, the partnership welcomed the Emirates Authority for Standardization and Metrology which worked on developing energy efficiency standard for domestic lighting. The Ecological Footprint Initiative continues to verify the UAE's Footprint, and finding solutions to manage the country's Footprint.

EFI Steering Committee Members

H.E. Dr. Rashid Bin Fahad, Minister of Environment and Water,
Chairman of the EFI Steering Committee

H.E. Razan al Mubarak – Secretary General of Environment Agency Abu Dhabi,
Vice-Chair of the EFI Steering Committee

Abdulla Al Maeeni (and formerly Eng Mohamed Badri), Acting Director General
of the Emirates Authority for Standardisation and Metrology

H.E. Ahmed Al Muhairbi, Secretary General of Dubai Supreme Council of Energy

Solaiman Al Rifai, Project Finance Director, Dubai Carbon Centre of Excellence

HE Hamdan al Shaer, Formerly, Director of Environmental Department,
Dubai Municipality

Mohammed Al Shamsi, Climate Change and Sustainability Manager,
Dubai Electricity and Water Authority

Dr. Hamda al Thani, Director of the New Energy and Water Research Centre,
Abu Dhabi Water and Electricity Authority

Nicholas Carter, Director General of Regulation and Supervision Bureau Abu Dhabi

H.E. Mohamad Saleh, General Manager of the Federal Electricity and Water Authority

David Scott, Formerly, Executive Director Energy and Economic Affairs,
Executive Affairs Authority – Abu Dhabi

Ida Tillisch, Director General, EWS-WWF, Secretary of EFI

Dr. Mathis Wackernagel, President of the Global Footprint Network

This Emirate-level summary is one of a set of seven summaries titled “Benefits of Effective Implementation of the UAE’s Lighting Regulation”, which outlines the benefits of the “UAE Lighting Regulation on Indoor Products” (December 2013) for every emirate in the UAE compared to the whole country. The successful implementation of the “UAE Lighting Regulation on Indoor Products” (Dec 2013) is highly dependent on the actions taken within every emirate. It is for this reason these summaries have been developed, to ensure decision makers from utility companies, municipalities, environmental authorities, customs bodies, academia, and interested members of the public take effective action to implement the regulation and ensure the UAE can achieve the full potential of the regulation.

This summary provides details on the context of the lighting regulation for the UAE, the baseline for the Emirate, the savings for the Emirate from an energy, financial, and environmental perspective, and finally a description of how the lighting regulation is implemented and governed.

Acknowledgements

We begin by thanking the partners of the Ecological Footprint Initiative (EFI), Ministry of Environment and Water in the UAE and the Environment Agency – Abu Dhabi (EAD), the Emirates Authority for Standardisation and Metrology (ESMA) and the Global Footprint Network (GFN) for continuously supporting the efforts of the EFI. In particular we are very grateful to our sponsors EAD and the Regulation and Supervision Bureau Abu Dhabi (RSB), who funded this research and made it possible. Finally, we are also grateful to all of our Steering Committee members for their continued guidance and support.

The successful partnership of the EFI highlights the importance of conducting locally relevant science-based research to support policy making. In particular, the close collaboration with ESMA resulted in using the RTI technical volume (the basis of the summary set) as supporting documents to develop the “UAE Regulation for Lighting Products”, which was approved by the UAE Cabinet and HH Sheikh Mohamed bin Rashid Al Maktoum, Prime Minister of the UAE and Ruler of Dubai, in December 2013.

The “Benefits of Effective Implementation of the UAE Lighting Regulation” Emirate-level summary set has been prepared by Research Triangle Institute International (RTI International) for EWS-WWF. We specifically thank Mr. Hazem Qawasmeh and Dr. Michael P Gallagher of RTI International for their efforts and effective collaboration with us while drafting the summaries.

We are grateful to all stakeholders that contributed with data and technical expertise to make these summaries robust and locally relevant. These include but are not limited, to The Ministry of Environment and Water, Environment Agency – Abu Dhabi, The Emirates Authority for Standardisation and Metrology, Regulation and Supervision Bureau – Abu Dhabi, The Middle East Lighting Association, Department of Municipal Affairs - Abu Dhabi, The Executive Affairs Authority - Abu Dhabi, The Urban Planning Council - Abu Dhabi, Abu Dhabi Water and Electricity Authority, Dubai Carbon Centre of Excellence, Dubai Electricity and Water Authority, Dubai Statistics Centre, Federal Electricity and Water Authority, Fujairah Municipality Health Department, Masdar Institute, Ministry of Economy, Ministry of Public Works, National Bureau of Statistics, and Sharjah Electricity and Water Authority.

Contributing Author(s):

Hazem Al Qawasmeh, RTI International

Reviewers:

Tanzeed Alam, EWS-WWF

Paola Ferreira, EWS-WWF

Dr. Michael Gallagher, RTI International

Nour Mezher, EWS-WWF

TABLE OF CONTENTS

7 INTRODUCTION AND BASELINE

7 United Arab Emirates – Context

10 Emirate of Abu Dhabi – Context

12 TECHNICAL, ECONOMIC AND ACHIEVABLE POTENTIAL ENERGY SAVINGS FOR ABU DHABI

15 Household Savings from Lower Electricity Bills

17 Government Savings from Lower Subsidies

18 SUSTAINABILITY IMPACT ASSESSMENT

20 Mercury

22 HOW DOES THE REGULATION WORK?

25 LIST OF ABBREVIATIONS

26 REFERENCES

LIST OF TABLES

7	Table (1): Baseline Electricity Consumption by Emirate
8	Table (2): Estimated Number of Residential Lamps and Consumption Distribution by Emirate
9	Table (3): Incremental Annual Social Benefit by Technologies Phase-Out (AED 1,000)
10	Table (4): Estimated Population and Growth Rate in Abu Dhabi (million)
10	Table (5): Estimated Number of Housing Units and Consumption by Typology in 2011
14	Table (6): Potential Total Energy Savings from Lamp Replacement in Gigawatt-hours (GWh)
15	Table (7): Abu Dhabi (ADWEA) Residential Tariff (fils/kWh)
15	Table (8): Annual Net Benefit by Lamp in Abu Dhabi and UAE (AED Saved per Lamp per Year)
16	Table (9): Annual Household Electricity Bill Savings by Typology by Emirate for All Lamp Replacements (AED 1,000)
17	Table (10): Net Household, government and social Benefit in Abu Dhabi (AED 1,000)
19	Table (11): Potential GHG Emissions Reduction from Lamp Replacement (in tonnes CO ₂ -eq per year)
21	Table (12): Maximum Mercury Content Limits in the European Union for CFLs

LIST OF FIGURES

8	Figure (1): Annual Saving Contribution due to Improved Residential Lighting
9	Figure (2): Potential Energy Savings by Lamp in UAE
11	Figure (3): Estimated Consumption by Typology in 2011
12	Figure (4): Technical, Economic, and Achievable Potential
13	Figure (5): Phase Out of Lamp Technologies
14	Figure (6): Potential Energy Savings by Lamp in Abu Dhabi
17	Figure (7): Annual Household Electricity Bill Savings by Typology in Abu Dhabi for All Lamp Replacements (AED 1,000)
18	Figure (8): Life Cycle Processes and Stages for Lighting Technology
20	Figure (9): Potential Air Quality Pollutants Reduction from Lamp Replacement
20	Figure (10): Relative amounts of mercury contained in individual products commonly found in residences
21	Figure (11): Annual estimated amount of mercury discarded from replacement of spent lamps with CFLs (kg/yr)
24	Figure (12): Energy Efficiency Lighting Products Available in UAE Market after 1st July 2014

INTRODUCTION AND BASELINE

Emirates Authority for Standardisation and Metrology (ESMA) and key strategic partners of the UAE’s Ecological Footprint Initiative¹ (EFI) have recently announced the introduction of a new indoor lighting regulation in the UAE. The regulation was endorsed on December 31, 2013 by UAE Cabinet of Ministers as Decision Number 34 of 2013, under the title “UAE Regulation for Lighting Products”. The objective of the lighting regulation is to reduce energy consumption in the household while minimizing negative impacts on the UAE economy, environment, and human health. To this end, it is very important to understand the economic, environmental, health, and social implications of the lighting regulation for residents, businesses and governmental agencies².

The regulation will see the introduction of safe, high quality and energy efficient lighting products to the UAE market, as well as the phasing out of low quality, inefficient lighting products. These measures will reduce energy consumption that will cut carbon emissions and result in financial savings for residents, businesses and the government.

This summary report presents the technical, economic, and achievable potential assessment for the development of residential lighting regulation for the Emirate of Abu Dhabi in comparison with the UAE. Annual impacts in terms of energy savings, financial benefits to households, subsidy reductions for governments, and environmental impacts are estimated for the currently existing stock of residential buildings and lighting characteristics.

United Arab Emirates – Context

Table (1) summarizes the residential lighting electricity consumption by Emirate. Total electricity consumption for residential lighting for the baseline year of 2011 was estimated to be 2,442 GWh. For comparison purposes, the table also shows the estimated population and number of residential housing units for the baseline year of 2011. Historical population data from 1996 to 2005 were used to estimate average growth rates from 2010 to 2020 to be an average of 5.6%.

Table (1): Baseline Electricity Consumption by Emirate

Emirate	2011 Population	Number of Housing Units	Total Lighting Electricity Consumption, GWh
Abu Dhabi	3,672,279	635,864	861
Dubai	1,567,552	392,122	604
Sharjah	1,433,480	301,919	357
Ajman	388,329	74,478	98
Umm Al-Quwain	157,511	28,286	52
Ras Al-Khaimah	884,280	167,605	327
Fujairah	594,997	92,456	143
Total	8,698,429	1,692,730	2,442

Source: (RTI, 2012a)

In order to characterize electricity consumption for residential lighting, available data were used to define several residential housing unit numbers and typologies and identify consumption per housing unit type. These were assessed in 2011, (the baseline year) using available data on the numbers, types, and characteristics of residential housing units from the National Bureau of Statistics (NBS) website. Results and distribution are listed within Table (5) and depicted in Figure (3).




Figure (1): Annual Saving Contribution due to Improved Residential Lighting

Switching to energy efficient light bulbs could save **65%** of the electricity consumed by lighting.

92% of these savings is attributed to removing incandescent light bulbs from households.

Annual technical potential for energy savings by switching to energy efficient lamps (EELs) for the UAE is estimated to be 2,046 GWh based on the 2011 population. This represents a 5% reduction in residential energy consumption and a 2.9% reduction in total electricity consumption. The savings are comprised of a 65% reduction in direct indoor residential lighting electricity use and a 28% cooling bonus due to reduced air conditioning demand. The cooling bonus reflects reducing air conditioning use associated with avoided heat produced by incandescent lamps, and further reducing natural gas consumptions for power generation and its associated GHG emissions.

Currently, incandescent lamps account for the overwhelming majority of lighting energy usage, totalling 78%. Within the incandescent lamps, 60-watt lamps represent the bulk of the energy consumption. Compact Fluorescent Lamps (CFLs) account for approximately 8% of the lighting energy consumption, with 14-watt CFLs (the equivalent of a 60-watt incandescent) representing the largest share. Linear Fluorescent Lamps (LFLs) and halogens account for approximately 7% each, with minimal penetration of Light Emitting Diodes (LEDs). The distribution of technologies across all the emirates is displayed in Table (2).

Table (2): Estimated Number of Residential Lamps and Consumption Distribution by Emirate

Emirate	Number of Lamps	Annual Electricity Consumption, GWh/yr				
		Incandescent	CFL	Lin. Fluor.	Halogen	LED
Abu Dhabi	30,088,887	664.8	70.7	63.4	61.1	0.6
Dubai	12,508,381	469.9	49.6	44.1	39.6	0.4
Sharjah	11,176,973	277	29.3	26.4	24.6	0.2
Ajman	21,121,452	76.4	8.1	7.1	6.6	0.1
Umm Al-Quwain	4,940,484	41	4.3	3.4	3.2	0
Ras Al-Khaimah	1,769,724	258.2	26.9	21.3	20.1	0.2
Fujairah	3,420,584	112.6	11.8	9.7	9.3	0.1
Total	85,026,485	1899.9	200.7	175.4	164.5	1.6

Source: (RTI, 2012a)

1 Ecological Footprint Initiative partners are: Ministry of Environment and Water (MoEW), Environment Agency Abu Dhabi (EAD), ESMA, Global Footprint Network (GFN), and EWSWWF. The EFI is sponsored by EAD and the Regulation and Supervision Bureau (RSB) Abu Dhabi.
2 Data and information utilized for this research has been generated locally. Original reports; namely Baseline Assessment Report, Assessment of Technical, Economic, and Achievable Potential Report, Sustainability Impact Assessment Report and Policy and Regulatory Framework Report are available online for further information.
<http://uae.panda.org/>

Figure (2) shows the distribution of energy savings by lamp type for the country, when the new regulation is implemented. If all lamps being phased out by the regulation were replaced with compact fluorescent lamps (CFLs), the total energy savings would be 2,046 GWH per year (see Table 3). The elimination of incandescent lamps accounts for 92% of the savings. The elimination of inefficient halogen lamps accounts for 7% of the savings and the elimination of low-efficiency CFLs from the market accounts for the remaining 1% of the savings.




Figure (2): Potential Energy Savings by Lamp in UAE

Lighting usage rates used in the analysis are a significant determinant of the energy, economic, and environmental impact estimates. The analysis uses a relatively conservative estimate of approximately 3 hours per day based on a study conducted by the U.S. Department of Energy³. Under this conservative scenario, the total social benefits are estimated to be approximately AED 668 million per year after full adoption of EELs. The household sector benefits are estimated to be AED 459 million per year after full adoption of EELs. In addition to household benefits, subsidy reductions to the government are estimated to be AED 216 million per year.

Table (3): Incremental Annual Social Benefit by Technologies Phase-Out (AED 1,000)*

Technologies Phased Out	Total Annual Energy Savings (GWH)	Annual Increase in Lamp Expenditures	Annual Household Savings from Reduced Electricity Bills	Annual Government Savings from Subsidy Reduction	Full Annual Social Benefits
Incandescents	1,875	2,268	420,840	198,072	616,644
Halogens	151	3,097	33,967	15,868	46,738
Low-efficiency CFLs	20	2,048	4,473	2,104	4,530
Total	2,046	7,413	459,280	216,044	667,911

Source: (RTI, 2012c)

* Calculated savings are based on the conservative scenario assuming 3 hour usage of the light bulbs per day

3 The U.S. DOE study provides the most comprehensive data on residential lighting usage. The data appear to be the best available at the present time because they apply to all lamps within a room, include data for a broader set of room types, and differentiate between housing unit type. Similar detailed local data is non-existent.

Emirate of Abu Dhabi – Context

Abu Dhabi population numbers and estimates are reflected in Table (4) below and used for the emirate’s baseline consumption and potential benefits. Two references⁴ were obtained that provide historical data on the population of the UAE by year. But in view of the inconsistency in growth rates since 2005, the historical population data from 1996 to 2005 were used to estimate an average growth rate of 4.1% from 2010 to 2020 for Abu Dhabi.

Table (4): Estimated Population and Growth Rate in Abu Dhabi (million)

	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	Growth Rate
UAE	8.265	8.699	9.158	9.642	10.155	10.696	11.268	11.873	12.512	13.189	13.905	5.60%
Abu Dhabi	3.527	3.672	3.824	3.982	4.146	4.318	4.496	4.68	4.875	5.077	5.286	4.1%

Source: (RTI, 2012a)

To determine the number of residential housing units by typology in base-year 2011, the data from the National Bureau of Statistics website for 2010 was scaled up using the growth rate for Abu Dhabi. Table (5) summarizes the estimated number of housing units for 2011 that resulted from these steps with overall total housing units of approximately 635,864 in the base-year compared to 1,692,725 in UAE. Table (5) and Figure (3) also compare the energy consumption per housing unit type in Abu Dhabi and across UAE.

Table (5): Estimated Number of Housing Units and Consumption by Typology in 2011

	UAE		Abu Dhabi	
	Number of Housing Units	Estimated Consumption (Gwh/yr)	Number of Housing Units	Estimated Consumption (Gwh/yr)
Studio Apartment	186,095	64.48	62,777	21.75
1-Bedroom Apartment	315,781	233.64	106,524	78.82
2-Bedroom Apartment	360,801	360.84	121,711	121.72
3-Bedroom Apartment	45,138	52.05	15,227	17.56
4+-Bedroom Apartment	9,919	14.51	3,346	4.90
Small villa	65,556	125.63	18,331	35.13
Medium villa	94,552	474.4	26,439	132.65
Large villa	19,991	251.55	5,590	70.34
Part of Villa	16,016	10.71	11,257	7.53
1-Story Building	98,500	113.57	52,389	60.40
Public House	146,606	280.93	69,038	132.30
Part/ Public House	45,103	30.18	38,626	25.84
Separate Rooms	92,722	2.95	46,705	1.49
Arabic House	120,675	231.25	0	0.00
Others	75,270	195.1	57,904	150.09
Total	1,692,725	2,441.79	635,864	860.52

Source: (RTI, 2012a)

4 The first reference includes a summary of the population of each Emirate for each year from 1996 to 2009, obtained from the National Bureau of Statistics (NBS) website. The file identifies the source of the data as the Ministry of Economy – Central Statistics Department. The second reference for population data is entitled Methodology of Estimating the Population in UAE and was also obtained from the NBS website.

ABU DHABI'S
ELECTRICITY
CONSUMPTION
FROM LIGHTING AT
35%
IS THE HIGHEST
AMONGST ALL
SEVEN EMIRATES




Figure (3): Estimated Consumption by Typology in 2011

Residential lighting energy usage in the Emirate of Abu Dhabi is estimated to be 861 GWh per year; accounting for 35% of the total residential lighting usage in the UAE (estimated to be 2,442 GWh per year). Apartments/flats as well as villas account for similar lighting energy usage, both totalling around 28% each. The majority of the consumption in the apartments category is associated with two bedroom apartments at 14%, whereas the majority of the consumption in the villas category is associated with medium villas at 15%, which incidentally is the same consumption rate for Public Houses. Incandescent lamps account for the overwhelming majority of lighting energy usage and 60-watt lamps represent the bulk of the energy consumption.

TECHNICAL, ECONOMIC AND ACHIEVABLE POTENTIAL ENERGY SAVINGS FOR ABU DHABI

The technical, economic, and achievable potential assessment was aimed at establishing the basis and recommendations for developing residential lighting regulation for the UAE. This section portrays the energy savings and economic benefits for Abu Dhabi residents and subsidy reductions for government.

As shown in Figure (4), the technical potential is the largest, with the economic and achievable potential being subsets of the technical potential.




Figure (4): Technical, Economic, and Achievable Potential

The technical potential is an estimate of the potential savings associated with a specific Demand-Side Management (DSM) measure, or combination of measures, assuming that the measure is technically feasible and achieves 100% penetration within the target populations. Technical potential does not take into account the cost-effectiveness or market acceptance of the DSM measures under consideration. Economic potential is a subset of the technical potential and represents what is economically cost-effective. The economic potential is intended to quantify the share of the technical potential energy savings that are economically viable from either a household or social perspective. Achievable potential is a subset of the economic potential and represents the savings and/or efficiency level that can realistically be expected.

Calculations are based on three phase-out strategies of (i) incandescent, (ii) halogen and (iii) low-efficient CFLs over a three year period. Energy savings from switching to EELs are estimated for incandescent, inefficient halogen, and low-efficiency CFL lamps and based on a conservative average use of 3 hours per day. Figure (5) shows graphically the targeted families of lamp technologies and their phase out stages in the coming three years as per the endorsed scenarios.




Figure (5): Phase Out of Lamp Technologies

For modelling purposes, it is assumed that all upgrades switch to high quality CFL lamps. In general, CFLs use less energy and are lower cost than other EEL options, such as LEDs. Whereas LEDs have longer life expectancies compared to CFLs, their high cost has limited market penetration in most countries.

The baseline assumes that 15% of CFLs are sub-standard (lower luminous efficacy and shorter life expectancy [RTI, 2012a]) and the removal of these low-efficiency CFLs is part of the technical potential. For high-efficiency CFLs, CFLs, LFLs, and LEDs currently in use, it is assumed that there are no upgrade possibilities that should be included in the technical potential. It is assumed that the luminous efficacy of low-quality CFLs is 67% of high-quality CFLs and their average life expectancy is 3,000 hours (compared to 10,000 for high-quality CFLs).

The modelling framework was programed in the GAMS software⁵ to calculate the savings under the chosen phase-out scenario. Outcomes from the model execution indicate that direct energy savings from upgrading lighting in the Abu Dhabi residential sector is estimated to be 563 GWh. Calculated for the UAE, for every 1 kWh of lighting energy saved, there is a cooling bonus of 0.28 kWh of air cooling energy, which leads to full annual technical potential savings for Abu Dhabi of 720 GWh.

⁵ The model is essentially a multidimensional linear program that accounts for every lamp in the UAE. Each lamp in the baseline is assigned a series of attributes that determine its location and tariff rate, operating characteristics (hours/year), energy consumption (watts), price (AED), life expectancy (hours), and potential for EEL upgrade. Based on these characteristics, the model calculates the total lighting electricity consumption and the electricity savings under different lighting upgrade scenarios.

Table (6): Potential Total Energy Savings from Lamp Replacement in Gigawatt-hours (GWh)

Lamp Phase Out	Direct Energy Savings (GWh)	Cooling Bonus (GWh)	Total Energy Savings (GWh)
Incandescent	513	144	657
Halogen	44	12	56
Low-efficiency CFL	6	1	7
Total	563	157	720

Source: (RTI, 2012b)

Energy savings can materialize over the time period of 13 to 48 months after the publication of the regulation, given the life span of existing lighting products. As described in the Baseline Assessment report, an estimated 50.1% of existing lamps in the UAE are currently incandescent and represent approximately 90% of potential savings.

Figure (6) shows the energy savings potential by lamp type in Abu Dhabi. In line with UAE-wide data, incandescent lamps account for 91% of the energy savings, with 60-watt incandescent accounting for 61% of the total. Even though low-efficiency CFLs represent only 1% of the energy savings, the elimination of these low-efficiency lamps has a significant impact on achievable potential.




Figure (6): Potential Energy Savings by Lamp in Abu Dhabi

REPLACING
A 60 W
INCANDESCENT
WITH A 14 W CFL
WILL SAVE
AED 68
IN ABU DHABI

Households using incandescent lamps may need to purchase more than one lamp per year, but the ones using CFLs will need to purchase fewer lamps per year because of the longer life expectancy of CFLs. As a result, over their entire lifetimes, 8-watt and 14-watt high-efficiency CFLs are actually less expensive than their corresponding 40-watt and 60-watt incandescent lamps.

Household Savings from Lower Electricity Bills

Tariff rates vary by Emirate and by nationality. Thus, replacing an incandescent lamp in Abu Dhabi has a different impact on a household’s electricity bill compared to replacing an incandescent lamp in Dubai or in other Emirates. Abu Dhabi has the lowest tariff for residential customers, and tariffs are different for Nationals vs. non-Nationals. The residential tariff structure for Abu Dhabi at the time of the analysis is presented in Table (7) and accounted for within the analysis.

Table (7): Abu Dhabi (ADWEA) Residential Tariff (fils/kWh)

Category	ADWEA Residential Tariff (fils/kWh)
Nationals	5
Non-Nationals	15

Source: (RTI, 2012b)

Table (8) shows the average annual net benefits for individual lamps replaced by the nationals and non-nationals alike in Abu Dhabi, and annual net benefits for the UAE. Abu Dhabi and the UAE. For example, replacing a 60-watt incandescent with a 14-watt CFL will yield an average net savings of AED 68 per lamp in Abu Dhabi, compared to AED 1,553 in the UAE.

Table (8): Annual Net Benefit by Lamp in Abu Dhabi and UAE (AED Saved per Lamp per Year)

Original Lamp Type	Replacement	Abu Dhabi (AED/lamp/yr)	UAE (AED/lamp/yr)
40W Incandescent	8W High-efficiency CFL	15.5	237
60W Incandescent	14W High-efficiency CFL	68.3	1552.8
100 W Incandescent	23W High-efficiency CFL	22.59	595.9
14 W Low-efficiency CFL	8W High-efficiency CFL	0.13	1.65
23W Low-efficiency CFL	14W High-efficiency CFL	1.93	29.3
28W Low-efficiency CFL	23W High-efficiency CFL	0.23	3.3
20W Halogen	6W LED	1.67	25.7
50W Halogen	14W High-efficiency CFL	10.43	169.3

Source: (RTI, 2012b)

AED 164
MILLION
THE GOVERNMENT
OF ABU DHABI
WILL SAVE
THE MOST IN
SUBSIDIES IN THE
UAE

Net savings are the benefits from reduced electricity bills minus the increase in lamp expenditures. The annual increase in lamp expenditures is the change in the individual annualized lamp expenditures summed over all the replacement lamps. Calculations showed that incremental annual expenditures from moving to EELs are relatively small compared to the electricity bill savings. On average, for every AED 1 invested in EELs in Abu Dhabi, AED 26 is saved on the electricity bill. The majority of the savings are realized during the 13–24 month period that corresponds to the replacement of incandescent lamps. Reductions in emissions associated with power generation will directly parallel the timing of energy savings.

On aggregate, Abu Dhabi households will realize significant savings on their electricity bills at AED 74 million, as shown in the following Table (9) and Figure (7).

Table (9): Annual Household Electricity Bill Savings by Typology by Emirate for All Lamp Replacements (AED 1,000)

Type of Housing Unit	Abu Dhabi	UAE
Studio Apt.	2,607	11,105
1-BR Apt	9,624	44,945
2-BR Apartment	15,317	71,528
3-BR Apartment	2,215	10,342
4+-BR Apartment	615	3,085
Small Villa	1,493	25,810
Medium Villa	5,584	96,512
Large Villa	2,948	43,758
Part of Villa	327	785
One-story Building	7,619	20,315
Public House	5,624	40,414
Part of Public House	1,121	1,707
Separate Rooms	208	543
Arabic House	0	58,011
Others	18,380	30,339
Total	73,684	459,280

Source: (RTI, 2012b)




Figure (7): Annual Household Electricity Bill Savings by Typology in Abu Dhabi for All Lamp Replacements (AED 1,000)

Government Savings from Lower Subsidies

It is common knowledge that current tariff rates do not cover the full cost of power generation and that the Abu Dhabi government subsidizes the provision of electricity. Electricity subsidies provided by the government are defined as the difference between the full cost of power generation and the revenue received by the distribution companies through electricity tariffs.

Abu Dhabi government is set to save an estimated 164 million AED annually in energy subsidy from Energy Efficient Lighting.

Net Household, government and social Benefit in Abu Dhabi (AED 1,000)*

	Technical and Economic Potential (GWh)	Annual increase in Lamp Expenditure	Annual Savings from Reduced Electricity Bills	Annual Government Savings from Subsidy Reduction	Net Annual Household Savings	Full Annual Social Benefits
Abu Dhabi	720	2,807	73,684	163,733	70,900	234,633
UAE	2,046	7,413	459,280	216,044	451,867	667,911

Source: (RTI, 2012b)

* Calculated savings are based on the conservative scenario assuming 3 hour usage of the light bulbs per day.

SUSTAINABILITY IMPACT ASSESSMENT

Energy Efficient Lighting will generate core benefits to the UAE that span several areas of fiscal, environmental, and social sustainability. Many benefits are directly related to energy, demand, and fuel savings or economic (monetary) benefits. However, there are other benefits, such as environmental improvement or reputational impacts that may not be completely monetized.

The environmental impacts are analysed using a Life Cycle Analysis (LCA) framework that provides a technique for assessing the environmental aspects of a system through each life-cycle phase: raw materials acquisition, production, distribution use, and disposal. Figure (8) illustrates the key phases of the LCA process for lighting technologies, which encourages planners and decision makers to consider the environmental aspects of lighting technologies, including activities that occur outside of the traditional framework, such as amount of waste generated or potential environmental impacts of technologies.




Figure (8): Life Cycle Processes and Stages for Lighting Technology



Compared to other EELs, LEDs and LFLs show the lowest energy consumption and the lowest hazardous waste generation

The most significant phase in the life cycle above is the use phase, which is found to account for 90–99% of the total life-cycle energy consumption (i.e., total energy used to manufacture, illuminate, and discard lamps). Manufacturing and end-of-life phases also use energy and have similar energy- related impacts associated with them but to a lesser extent compared with the use phase.

Energy consumed during the use phases of incandescent lamps is significantly greater than CFLs, LFLs, and LEDs. Both LEDs and LFLs exhibit the lowest energy impact and hazardous waste generation, whereas halogens and incandescent bulbs exhibited the highest impact. CFLs show a similar energy impact as LEDs and LFLs but result in more hazardous waste generation.

The study indicates that employing EEL technologies in residential lighting situations was found to be roughly four times more energy efficient than the use of incandescent lamps and over twice as energy efficient as using halogen lamps. The results indicate that the elimination of nearly all incandescent lamps in residential homes would have the most beneficial impact on climate change; contributing to a reduction in global warming potential.

Similar to the energy and GHG assessment results, the majority of NOx, SOx, and PM savings are realized through the conversion of incandescent lamps to EELs. These savings have the potential to reduce air quality issues and their related effects, including damage to ecosystems and respiratory health problems.

Using the energy savings potential assessed above and natural gas emissions estimates obtained for Abu Dhabi, the potential Greenhouse Gas (GHG) emissions reductions were estimated as follows:

Table (11): Potential GHG Emissions Reduction from Lamp Replacement (in tonnes CO2 -eq per year)

Lamp Phase Out	Abu Dhabi CO2 (Tonne CO2 eq / yr)	UAE CO2 (Tonne CO2 eq / yr)
Incandescent	301,553	861,669
Halogen	25,212	67,960
Low-efficiency CFL	3,233	9,139
Total	329,998	938,768
Percent of Country Total	35.1%	100%

Source: (RTI, 2012c)

The annual GHG savings potential associated with the phase-out is almost 330,000 tons of CO2-eq emissions; approximately 35% of the country’s total. This is equivalent to taking over 58,100 cars off the road each year. The results indicate that the elimination of nearly all incandescent lamps in residential homes would have the most beneficial impact on climate change. Figure (9) summarizes the potential reductions in emissions of these pollutants at Abu Dhabi and UAE levels, respectively.



The CO2 savings in Abu Dhabi are the greatest in the UAE, and are equivalent to removing

58,100
cars off the road annually




Figure (9): Potential Air Quality Pollutants Reduction from Lamp Replacement

Mercury

Mercury is also of concern because it is a highly toxic heavy metal that can incrementally accumulate in the environment and animal tissues. Very low concentrations of mercury can adversely impact the neurological development of foetuses, infants, and children. At low concentrations, mercury can affect the human nervous system, reproduction, immune system, cardiovascular system, and kidneys.

Mercury is present in a number of products. Figure (10) indicates the relative amounts of mercury in common household products. Fluorescent lamps (both LFLs and CFLs) emit an average of 2% of the total emitted mercury annually. (NEWMOA, 2008).




Figure (10): Relative amounts of mercury contained in individual products commonly found in residences

Although different scientific and media sources present contradictory information about the significance of mercury from CFLs and LFLs, most government sources pointed to mercury exposures from broken CFLs/LFLs as not likely to present a health risk to individuals or households, especially if proper precautions and clean-up procedures are conducted.

CFL lamps generally contain between 1.4 to 5 mg of mercury per CFL lamp (Hu and Cheng, 2012; VITO, 2009; New Zealand Ministry for the Environment [NZ MfE], 2009). LFLs generally contain 4 to 12 mg of mercury (NZ MfE, 2012). Using these mercury levels as low- and high-level estimates of the mercury in CFLs that could potentially be released during end-of-life processes, the additional amount of mercury discarded annually under each lamp replacement phase was estimated for the UAE, relative to the baseline. Results of the estimate are shown in Figure (11).




Figure (11): Annual estimated amount of mercury discarded from replacement of spent lamps with CFLs (kg/yr)

The estimated amount of annually discarded mercury from the highest mercury content scenario for the Emirate of Abu Dhabi is approximately 9.1 kg/yr (compared to an estimated 26 kg/yr for UAE). This represents approximately 4.50 kg/yr more mercury than the current baseline scenario for Abu Dhabi compared to an estimated 13 kg/yr more mercury for the UAE. The new lighting regulation in the UAE follows EU regulations and limits the amount of mercury per lamp technology, as per Table (12), hence generating the lowest possible quantities of mercury waste.

Table (12): Maximum Mercury Content Limits in the European Union for CFLs

CFL Wattage	Maximum Mercury Content	Dates of Applicability
< 30 W	5 mg	Expired December 31, 2014
	3.5 mg	After December 31, 2014 until December 31, 2015
	2.5 mg	After December 31, 2015
≥ 30 W and < 50 W	5 mg	Expired December 31, 2014
	3.5 mg	After December 31, 2015
≥ 50 W and < 150 W	5 mg	Not included in Directive
≥ 150 W	15 mg	Not included in Directive

Source: European Parliament and of the Council, 2011.

HOW DOES THE REGULATION WORK?

The purpose of a lighting regulation is to put in place requirements that ensure that low quality products not meeting specifications cannot enter a country’s market. The regulation⁶ includes the four main product requirements for indoor lighting, including safety, energy efficiency, functionality and hazardous chemical requirements:


- Safety requirements ensure that products entering the country meet all international regulations, including limits on hazardous substances, and requirements for equipped high quality electrical systems.
- Energy performance limits imposed in the regulation are used to phase out inefficient products from the market by setting energy efficiency requirements for different energy classes that products must meet in order to be used in the country. However, the lighting regulation includes an exemption list for certain products that have specific uses to enter the country such as specialty lamps for medical purposes in labs and hospitals.
- Functionality requirements in the regulation are to ensure that lighting products are of good quality with a high level of ‘colour rendering’ as determined by international best practices and industry recommendations.
- Lighting products contain hazardous substances such as Mercury, Lead, Cadmium, and other toxic heavy metals, and therefore need to be handled with care and treated as hazardous waste. Hazardous limits, which meet international standards, are established in the lighting regulation in order to prevent low quality products from entering the country.

The regulation also specifies that all lighting products need to be certified, labelled and monitored for their compliance with the standards and that they should be disposed of safely with any waste managed according to specific guidelines that will be determined by ESMA. Products that do not meet the standards specified in the regulation will also not be allowed to enter the UAE for retail after 1st July 2014. Figure (12) overleaf provides images of some of the products that will be available to customers in the UAE.

The regulation requires market monitoring and testing to ensure products entering the UAE are compliant with the lighting regulation, particularly by regular testing conducted at official or independent testing laboratories. It is recommended that the UAE invests in an in-country testing facility to certify if EELs and other products meet the requirements; such testing and monitoring should be done regularly.



THE UAE LIGHTING REGULATION ENSURES THAT ALL LIGHTING PRODUCTS ARE ENERGY EFFICIENT, ELECTRICALLY SAFE, ARE OF GOOD QUALITY, AND CONTAIN LIMITED HAZARDOUS MATERIALS

⁶ Lighting Regulation can be acquired through “The UAE Official Gazette”, issue of December 2013, or through emailing EWS-WWF (info@ewswwf.ae)



Consequently, there is a need to develop a safe disposal and waste management system for lighting products in the UAE. Emirate level waste management authorities and the MOEW should ensure recycling plans for hazardous materials are included in their current long term strategies. Furthermore, private sector activities and programmes, such as Extended Producer Responsibility (EPR) programmes that require the manufacturer to take responsibility for the management of spent light bulbs, should be considered as a viable option in supporting the country with waste management. The implementation of modern sanitary landfills with liner systems consistent with the Basel Convention and the UAE Federal Law No. 24 is encouraged in order to prevent hazardous chemicals from spent light bulbs and other products from entering the soil.

7 For more information on potential policy recommendations, please refer to "Technical Memorandum 4: Policy and Regulatory Framework" of the "Development of a UAE Lighting Standard" Volume (<http://uae.panda.org/>)

				
Triple BiAx Lamp	Parabolic Aluminized Reflector (PARs)	Incandescent Lamp	High Mercury/ Low Efficiency Compact Fluorescent Lamp	Inefficient Halogen Lamp
				
Quad Tube Lamp	Twin Tube Lamp	“A” Shape Lamp	F Lamp	Dimmable CFL Lamp
				
Parabolic Aluminized Reflector (PARs)	Globe Lamp	Spiral / Coil Lamp	Light Emitting Diode (LED)	Inefficient Halogen Lamp
				
Linear Fluorescent Lamp	Ring / Circular Fluorescent Lamp*	Candelabra Fluorescent Lamp	Specialty Lamp	Decorative Lamp

BENEFITS OF EFFECTIVE IMPLEMENTATION OF THE UAE'S LIGHTING REGULATION | 24

LIST OF ABBREVIATIONS

AED	UAE Dirham
CFL	Compact Fluorescent Lamp
CO ₂	Carbon Dioxide
CO ₂ eq	CO2 Equivalents
DEWA	Dubai Electricity and Water Authority
DSM	Demand Side Management
EEI	Energy Efficiency Index
EEL	Energy-Efficient Lamps
EPR	Extended Producer Responsibility
ESMA	Emirates Authority for Standardisation and Metrology
GHG	Greenhouse Gas
GWh	Gigawatt Hour
KWh	Kilowatt hour
LCA	Life Cycle Analysis.
LED	Light-Emitting Diode
LFL	Linear Fluorescent Lamp
MELA	Middle East Lighting Association
MoEW	Ministry of Environment and Water
NO _x	Nitrogen Oxides
PM	Particulate Matter
SO _x	Sulfur Oxides
Tonne	Unit of mass equal to 1,000 kilograms
UAE	United Arab Emirates
Watt	A derived unit of power that measures the rate of energy conversion or transfer
Yr	Year

REFERENCESالمراجع

Emirates Wildlife Society-World Wildlife Fund. (2014). Ecological Footprint Initiative Policy Brief: UAE Regulation on Lighting Products and recommendations to facilitate its implementation. February 2014.

Hu. Y. & Cheng, H. (2012). Mercury risk from fluorescent lamps in China: Current status and future perspective. Environ Int (2012), doi:10.1016/j.envint.2012.01.006

NEWMOA (2008). Trends in mercury use in products. Available at: <http://www.newmoa.org/prevention/mercury/imerc/factsheets/mercuryinproducts.pdf>

New Zealand Ministry for the Environment (NZ MfE). (2009). New Zealand mercury inventory. Available at: <http://www.mfe.govt.nz/publications/waste/mercury-inventory-new-zealand-2008/page4-5.html>

RTI International (RTI). (2012a) Development of lighting standards for the United Arab Emirates – baseline assessment. Final Report, November, 2012.

RTI International (RTI). (2012b) Assessment of technical, economic, and achievable potential. Final Report, November, 2012.

RTI International (RTI). (2012c) Development of lighting standards for the United Arab Emirates – sustainability impact assessment (SIA). Final Report, November, 2012.

VITO (2009). Final report: Lot 19: Domestic lighting, 2009/ETE/R/o69, VITO NV, Boeretang, Belgium, October 2009